



Tel: 090 998 9907
Email: info@vimet.com.vn - Web: www.thietbioto.vn

Special 2019/ 2020 WORLDWIDE



Das Werkzeug

NEW PRODUCTS + SPECIALS

2019/2020



german
brand
award
19
winner

SWW1920/EN/XX/0



Tel: 090 998 9907
Email: info@vimet.com.vn - Web: www.thietbioto.vn

Valid until February 29, 2020



863 HP

EAN-No. 4000896226917

HiPer
HIGH PERFORMANCE

6.3 1/4"

Fine-tooth reversible ratchet

- A lot more performance than ratchets with the same dimensions
- Small operating angle (4°) enables even better use in the tightest of spaces, e.g. engines, machine construction, agricultural vehicles and machinery, renewable energy (solar, wind turbines)
- Engaging function of the shift lever provides protection against unwanted switching
- Increased service life thanks to the use of state-of-the-art lubricants in the ratchet mechanism
- Strict production tolerances ensure protection against penetration by dirt.
- HAZET internal quality standards guarantee loading capacity way beyond what you would normally expect
- Chrome-plated surface: High-quality, easy to clean, corrosion resistant
- Weight: 80 g



New ergonomic shift lever

**Strongest HAZET
6.3 1/4" -ratchet ever!**



6.3 1/4"

6.3 1/4"

- 1 Pawl
- 2 Ratchet wheel
- 3 Shift lever
- 4 Housing
- 5 2-component handle

PDF download
SWW 2019/20






Fine-tooth reversible ratchet



Das Werkzeug

NEW!

YouTube clip



Suitable for all
HAZET tool modules



**Power and precision
in perfect symbiosis!**






Figure in actual size
116 mm

Integrated
suspension option
in the handle

Made in Germany

Performance comparison

863 HP | DIN 3122:2017-04
 863 HP | ISO 3315:2018-05



Double loading capacity!





916 HPL

EAN-No. 4000896219209

HiPer
HIGH PERFORMANCE

12⁵ 1/2

NEW!

Fine-tooth reversible ratchet, extra long

- A lot more performance than ratchets with the same dimensions
- Small operating angle (4°) enables even better use in the tightest of spaces, e.g. engines, machine construction, agricultural vehicles and machinery, renewable energy (solar, wind turbines)
- Engaging function of the shift lever provides protection against unwanted switching
- Increased service life thanks to the use of state-of-the-art lubricants in the ratchet mechanism
- Strict production tolerances ensure protection against penetration by dirt.
- HAZET internal quality standards guarantee loading capacity way beyond what you would normally expect
- Chrome-plated surface: High-quality, easy to clean, corrosion resistant
- Weight: 870 g

YouTube clip



*Even more power
due to long lever!*

Length: 415 mm

*Available from mid-
September 2019!*



Made in Germany





Tel: 090 998 9907

Email: info@vimet.com.vn - Web: www.thietbioto.vn

Premium tool leather case



Das Werkzeug

1520/64

EAN-No. 4000896214556

Premium tool leather case


64



Made from sturdy micro-leather with super-soft, water-repellent surface at the same time!

h x w x d:
310 x 275 (595 open) x 65 mm

With HAZET logo – embossed in high quality!



| | | |
|------|--|------------------------|
| 8 x | | s8 – 19 mm |
| 7 x | | Ø s 5.5 – 13 mm |
| 1 x | | 863 P |
| 1 x | | 866 U |
| 1 x | | 101.5 mm |
| 1 x | | 2250-1 |
| 1 x | | 1965-21 |
| 1 x | | 4850-1 |
| 1 x | | 839-1 |
| 1 x | | 1803 M-11 |
| 1 x | | 1987 N-4 |
| 1 x | | 1979 N-71 |
| 1 x | | 760-2 |
| 1 x | | 2140-20 |
| 36 x | | 2240N/36 |
| 1 x | | approx. w 37 x h 37 mm |



Tel: 090 998 9907

Email: info@vimet.com.vn - Web: www.thietbioto.vn


www.hazet.de

We accept no liability for printing errors!



NEW!


9035 V Vibration chisel



YouTube clip



One basic unit – many options!



Components

NEW!

| | HAZET No. | Designation | EAN-No. 4000896 + |
|---|-----------|---------------------------|-------------------|
| 1 | 9035V-05 | Flat vibration chisel | 227266 |
| 2 | 9035V-06 | Vibration drift pin 6 mm | 227259 |
| 3 | 9035V-08 | Vibration drift pin 8 mm | 227297 |
| 4 | 9035V-09 | Curved vibration chisel | 227280 |
| 5 | 9035V-010 | Vibration drift pin 10 mm | 227273 |

Components

| | HAZET No. | Designation | EAN-No. 4000896 + |
|----|-----------|--------------------------------|-------------------|
| 7 | 9035V-01 | Semi-circular vibration chisel | 214181 |
| 8 | 9035V-02 | Round vibration chisel | 214174 |
| 9 | 9035V-03 | Vibration chisel | 214167 |
| 10 | 9035V-04 | Vibration chisel | 214150 |

Basic unit with vibration and hammer function

| | HAZET No. | Designation | EAN-No. 4000896 + |
|---|-----------|-------------|-------------------|
| 6 | 9035 VH | Basic unit | 214020 |

Set, 5 pieces


| | HAZET No. | Designation | EAN-No. 4000896 + |
|--|-----------|---|-------------------|
| | 9035 V/5 | Basic unit incl. 9035V-01, 9035V-02, 9035V-03, 9035V-04 | 213368 |



NEW!

Twin Turbo

Technology by HAZET



Strongest HAZET impact wrench series ever!


Exclusively only from HAZET!

- Maximum efficiency due to the ground-breaking "HAZET Twin Turbo Technology" enables high torques with compact design
- Innovative 8-blade air motor with 25% higher impact performance ensures maximum torques
- Long service life and high efficiency in industrial and automotive applications
- Significantly higher performance results in faster loosening of the screw connection during the screwing procedure and is thereby twice as efficient.
Advantage: time saving, as the work procedure is completed faster, thereby consuming less air = cost savings!




Twin Effect – More power in shorter time!

Standard



1x exhaust inlet

TwinTurbo




2x exhaust inlet






Twin Turbo impact wrench

- ✓ Compact design, optimised for work in confined spaces
- ✓ One-hand operation for right and left-handed users
- ✓ Exhaust air is guided downwards through the handle
- ✓ Easy to use



Twin hammer mechanism




9012 MTT

EAN-No. 4000896227136

Mini Twin Turbo impact wrench, extra short

- Max. loosening torque determined with screw size M16

Problem solver!
Max. loosening torque: 1600 Nm
Extra short – only 110 mm!



Extra light – only 1.3 kg!



12⁵ 1/2

NEW!

YouTube clip



12,91(4) 7,2



| ■ | ↻ Max. Nm | ↻ Max. Nm | ↻ Nm | ⊕ rpm | ⊕ l/min | 🔊 dB(A) Lp A | 🔊 dB(A) Lp W | 🌬 m/s ² | ⊘ mm | ⚖ kg |
|---------------------|-----------|-----------|------|-------|---------|--------------|--------------|--------------------|------|------|
| 12 ⁵ 1/2 | 1600 | 678 | 542 | 11000 | 133.1 | 92.5 | 103.5 | 8.39 | 10 | 1.3 |


9012 TT

EAN-No. 4000896226924

Twin Turbo impact wrench

- Max. loosening torque determined with screw size M16

Problem solver!
Max. loosening torque: 2200 Nm
Short design – only 128 mm!



Extra light – only 1.6 kg!



12⁵ 1/2

NEW!

YouTube clip



12,91(4) 7,2



| ■ | ↻ Max. Nm | ↻ Max. Nm | ↻ Nm | ⊕ rpm | ⊕ l/min | 🔊 dB(A) Lp A | 🔊 dB(A) Lp W | 🌬 m/s ² | ⊘ mm | ⚖ kg |
|---------------------|-----------|-----------|------|-------|---------|--------------|--------------|--------------------|------|------|
| 12 ⁵ 1/2 | 2200 | 1356 | 948 | 8300 | 147.2 | 99.7 | 110.7 | 8.69 | 10 | 1.6 |



Tel: 090 998 9907

Email: info@vimet.com.vn - Web: www.thietbioto.vn

Pneumatic tools



Das Werkzeug

- ✓ Forward/reverse: two-stage (forward), single-stage (reverse)
- ✓ Working pressure (bar): 6.3
- ✓ Coupler plug: nominal size 7.2 (included)



Twin hammer mechanism



9013 TT

EAN-No. 4000896227143

Twin Turbo impact wrench

- Max. loosening torque determined with screw size M32

20 3/4"

NEW!

YouTube clip



16.41 (x) 7.2

20 3/4"




Problem solver!
Max. loosening torque: 4100 Nm
Short design – only 184 mm!

**Perfect for industry,
 commercial vehicles and
 agriculture!**

**Strongest
 impact wrench
 in the HAZET range!**

Including:
 360° rotating handle



| ■ | ↶ | ↷ | ⚡ | ⌚ | ⌚ | 👂 | 👂 | 👂 | 📏 | ⚖️ |
|-----|---------|---------|------|------|-------|---------------|---------------|------------------|------|-----|
| | Max. Nm | Max. Nm | Nm | rpm | l/min | dB(A) Lp A | dB(A) Lp W | m/s ² | ∅ mm | kg |
| 123 | 4100 | 2170 | 1890 | 5200 | 243.5 | 99.5 | 110.5 | 10.69 | 13 | 4.5 |



Tel: 090 998 9907

Email: info@vimet.com.vn - Web: www.thietbioto.vn

www.hazet.de

We accept no liability for printing errors!



9022 P-XLG

EAN-No. 4000896222513

12.5 1/2

NEW!

Air ratchet, extra long

- Reaches even extremely hard to reach spaces and tolerates high manual retightening forces
- Slim design, e.g. for the installation and removal of timing chain covers
- For hand retightening with torque values up to 400 Nm
- Reduced vibrations
- Coupler plug: nominal size 7.2 (included)
- Forward/reverse: single-stage (right/left)
- Working pressure (bar): 6.3


YouTube clip



12.916(6) 7.2



12.5 1/2



| | max. Nm | rpm | l/min | dB(A) Lp A | dB(A) Lp W | m/s ² | Ø mm | kg |
|----------|---------|-----|-------|------------|------------|------------------|------|-----|
| 12.5 1/2 | 94.8 | 160 | 99.12 | 93.7 | 104.7 | 5.6 | 10 | 2.1 |


New Mini range of pneumatic tools

NEW!


- Extremely small and handy
- High reliability and continuous operation
- Incl. safety operating lever (except 9023 M-1)
- Innovative 5-slat concept for even more power than conventional drives



Standard (4x slats)



5-slat concept (5x slats)





9023 M-1

EAN-No. 4000896227112

Mini multifunctional air ratchet

- By exchanging the optional ratchet heads, the article can be used for both 1/4" and 3/8" output drives and bit holders
- With the open 17 mm inside hexagon it is also possible to work on extra long threads
- Short design
- For hand retightening with torque values up to 70 Nm
- Reduced vibrations
- Coupler plug: nominal size 7.2 (included)
- Forward/reverse: single-stage (right/left)
- **Exhaust air is guided through the handle**
- Power: 224 Watts

Contents:



- Push-through ratchet 17 mm
- Socket 1/4"
- Socket 3/8"
- Socket for screwdriver bits 6.3 mm

17 mm

6.3 1/4" 10 3/8" 6.3 1/4"

4

NEW!



YouTube clip



Basic head – also for working on extra long threads



17 mm

Ratchet heads can be replaced



6.3 1/4"

9023 M-1-020



10 3/8"

9023 M-1-021

Socket for screwdriver bits



6.3 1/4"



9023 M-1-B

Set, 4 pieces

Components

| | max. Nm | rpm | l/min | dB(A) Lp A | dB(A) Lp W | m/s ² | Bar | Ø mm | kg |
|------------------|---------|-----|-------|------------|------------|------------------|-----|------|------|
| 6.3 1/4" 10 3/8" | 54 | 400 | 84 | 82.8 | 93.8 | 3.2 | 6.3 | 10 | 0.48 |

| HAZET No. | Designation | EAN-No. 4000896 + |
|--------------|-----------------------------|-------------------|
| 9023 M-1-020 | 1/4" ratchet socket | 228225 |
| 9023 M-1-021 | 3/8" ratchet socket | 228232 |
| 9023 M-1-B | Socket for screwdriver bits | 228249 |






9032 M-1

EAN-No. 4000896227099

Mini die grinder, straight design


- For working in areas with difficult access
- Extremely lightweight, handy device for grinding, polishing, burnishing and deburring
- Straight design
- **Exhaust air is guided through the handle**
- Coupler plug: nominal size 7.2 (included)
- Working pressure (bar): 6.3
- Power: 224 Watts



NEW!

mini TOOL

YouTube clip




| mm | rpm | l/min | dB(A) Lp A | dB(A) Lp W | m/s ² | Ø mm | kg |
|----|-------|-------|---------------|---------------|------------------|------|------|
| 6 | 25000 | 84 | 82.4 | 93.4 | 1.8 | 10 | 0.33 |

9032 M-5

EAN-No. 4000896227105

Mini die grinder, angled


- Heavy duty multi-bearing gearbox with a 2.5 times longer service life compared to conventional gearboxes
- Extremely lightweight, handy device for grinding, polishing, burnishing and deburring
- For working in areas with difficult access
- Angled design
- **Exhaust air is guided through the handle**
- Coupler plug: nominal size 7.2 (included)
- Working pressure (bar): 6.3
- Power: 224 Watts



NEW!

mini TOOL

YouTube clip




| mm | rpm | l/min | dB(A) Lp A | dB(A) Lp W | m/s ² | Ø mm | kg |
|----|-------|-------|---------------|---------------|------------------|------|------|
| 6 | 18000 | 84 | 81.9 | 92.9 | 5.1 | 10 | 0.48 |

Accessories

Carbide milling pins

- Head Ø (cylinder shape): 3 mm / 6 mm
– Working length: approx. 13 mm
- Head Ø (spherical shape): approx. 3 mm / 6 mm



Germany Made in Germany

| | HAZET No. | Designation | EAN-No. 4000896 + |
|---|------------|--------------------------------|-------------------|
| 1 | 9032-03KU3 | Milling pin, spherical shape | 226405 |
| 2 | 9032-03KU6 | Milling pin, spherical shape | 226764 |
| 3 | 9032-03ZY3 | Milling pin, cylindrical shape | 226788 |
| 4 | 9032-03KE | Milling pin, cone-shaped | 226771 |
| 5 | 9032-03ZY6 | Milling pin, cylindrical shape | 226795 |
| 6 | 9032-03/5 | Milling pin set, 5-piece | 222483 |

- Head Ø (cylindrical shape): 10 mm
– Working length: approx. 19 mm
- Head Ø (spherical shape): approx. 9 mm



Germany Made in Germany

| | HAZET No. | Designation | EAN-No. 4000896 + |
|---|-----------|--------------------------------|-------------------|
| 1 | 9032-06KE | Milling pin, cone-shaped | 226825 |
| 2 | 9032-06ZY | Milling pin, cylindrical shape | 226818 |
| 3 | 9032-06KU | Milling pin, spherical shape | 226801 |
| 4 | 9032-06/3 | Milling pin set, 3-piece | 222667 |



Tel: 090 998 9907

Email: info@vimet.com.vn - Web: www.thietbioto.vn

Pneumatic tools



Das Werkzeug

9033 M-7


EAN-No. 4000896227242

Mini right-angle grinder


- Heavy duty multi-bearing gearbox with a 2.5 times longer service life compared to conventional gearboxes
- Extremely handy and light tool for working in areas with difficult access
- With adjustable protective cover
- For grinding wheel thickness: 4 mm
- For grinding wheels: 52 / 59 mm
- Spindle thread: 3/8" 24UNF
- **Exhaust air is guided through the handle**
- Coupler plug: nominal size 7.2 (included)
- Working pressure (bar): 6.3
- Power: 224 Watts



NEW!



YouTube clip





| rpm | l/min | dB(A) Lp A | dB(A) Lp W | m/s² | Ø mm | kg |
|-------|-------|------------|------------|------|------|------|
| 18000 | 84 | 85.8 | 96.8 | 1.9 | 10 | 0.53 |

9032 M

EAN-No. 4000896195152

Micro die grinder

- 3 mm collet chuck
- Power: 190 Watts





| mm | rpm | l/min | dB(A) Lp A | m/s² | mm | kg |
|----|--------|-------|------------|------|------|------|
| 3 | 60,000 | 75 | 83 | 0.13 | 1500 | 0.21 |

9032 M-36

EAN-No. 4000896209606

Mini die grinder

- 6 mm collet chuck with 3 mm adapter to accommodate both grinding pad dimensions
- Power: 224 Watts



| mm | rpm | l/min | dB(A) Lp A | m/s² | mm | kg |
|-------|--------|-------|------------|------|------|------|
| 3 / 6 | 30,000 | 43.7 | 78.7 | 1.80 | 1500 | 0.38 |



Tel: 090 998 9907

Email: info@vimet.com.vn - Web: www.thietbioto.vn

www.hazet.de

We accept no liability for printing errors!



NEW!

9033 M-9


EAN-No. 4000896227235

Mini polisher

- Heavy duty multi-bearing gearbox with a 2.5 times longer service life compared to conventional gearboxes
- Optimised for spot repairs
- For working in areas with difficult access and repair work
- Extremely light, handy tool
- Grinding disc thread 5/16" UNF
- Grinding disc diameter: 50 mm
- **Exhaust air is guided through the handle**
- Coupler plug: nominal size 7.2 (included)
- Working pressure (bar): 6.3
- Power: 224 Watts



YouTube clip



| rpm | l/min | dB(A) Lp A | dB(A) Lp W | m/s ² | Ø mm | kg |
|------|-------|---------------|---------------|------------------|------|------|
| 4500 | 84 | 83.6 | 94.4 | 1.9 | 10 | 0.60 |

Accessories



| | HAZET No. | Designation | Design | | EAN-No. 4000896 + |
|---|--------------|--------------------------|-----------------|----|-------------------|
| 1 | 9033-5-01/10 | Spare grinding pads, 320 | Grain size: 320 | 10 | 160525 |
| 2 | 9033-5-02/10 | Spare grinding pads, 400 | Grain size: 400 | 10 | 160730 |
| 3 | 9033-5-03/10 | Spare grinding pads, 600 | Grain size: 600 | 10 | 160747 |
| 4 | 9033-5-08/10 | Spare grinding pads, 800 | Grain size: 800 | 10 | 228317 |
| 5 | 9033M-9-010 | Polishing pads | Flat | 5 | 228324 |
| 6 | 9033M-9-011 | Polishing pads | Curved | 5 | 228331 |
| 7 | 9033M-9-01 | Polishing disc | 50 mm | 1 | 228362 |

NEW!

NEW!



Tel: 090 998 9907

Email: info@vimet.com.vn - Web: www.thietbioto.vn

Pneumatic tools



Das Werkzeug


NEW!

9033 M-11


EAN-No. 4000896227129

Mini disc sander, angled

- Heavy duty multi-bearing gearbox with a 2.5 times longer service life compared to conventional gearboxes
- Optimised for spot repairs
- For processing surfaces even in hard to reach work areas, e.g. for removing rust, stripping paint, removing adhesive and sealing residues, as well as for cleaning/processing surfaces, weld seams, etc. using various abrasive media
- Gentle, effective cleaning of surfaces
- Roloc™ quick-change system permits fast and tool-free, easy changing of various abrasives
- Grinding disc thread 1/4" – 20 UNF
- Grinding disc diameter: 50 mm
- **Exhaust air is guided through the handle**
- Coupler plug: nominal size 7.2 (included)
- Working pressure (bar): 6.3
- Power: 224 Watts



YouTube clip



| rpm | l/min | dB(A) Lp A | dB(A) Lp W | m/s ² | Ø mm | kg |
|-------|-------|---------------|---------------|------------------|------|------|
| 18000 | 84 | 84.2 | 95.2 | 1.8 | 10 | 0.44 |

Accessories



| | HAZET No. | Designation | Design | ■ | EAN-No. 4000896 + |
|----|----------------|-----------------------------------|-----------------|---|-------------------|
| 1 | 9033-11-080/5 | Non-woven abrasive set, 80 | Grain size: 80 | 5 | 228270 |
| 2 | 9033-11-0150/5 | Non-woven abrasive set, 150 | Grain size: 150 | 5 | 228256 |
| 3 | 9033-11-0300/5 | Non-woven abrasive set, 300 | Grain size: 300 | 5 | 228263 |
| 4 | 9033-11-S060 | Spare grinding pads, 60 | Grain size: 60 | 5 | 228287 |
| 5 | 9033-11-S080 | Spare grinding pads, 80 | Grain size: 80 | 5 | 228294 |
| 6 | 9033-11-S120 | Spare grinding pads, 120 | Grain size: 120 | 5 | 228300 |
| 7 | 9033M-11-015 | Grinding disc | Ø 50 mm | 1 | 228355 |
| 8 | 9033-11-020/4 | Strip wheel set | Hard variant | 4 | 222834 |
| 9 | 9033-11-030/4 | Strip wheel set | Soft variant | 4 | 222728 |
| 10 | 9033-11-036/2 | Spare bristle grinder set, purple | Grain size: 36 | 2 | 222872 |
| 11 | 9033-11-050/2 | Spare bristle grinder set, green | Grain size: 50 | 2 | 222865 |
| 12 | 9033-11-0120/2 | Spare bristle grinder set, white | Grain size: 120 | 2 | 222858 |



Tel: 090 998 9907

Email: info@vimet.com.vn - Web: www.thietbioto.vn

www.hazet.de

We accept no liability for printing errors!



NEW!

Available from October 2019

Increased functionality by an additional 230V socket on back enables coupling and operation of additional devices



1x
1979 FC-40



2x
1979 FC-60

Protection rating: IP54

Impact and fall-proof, impact resistance: IK09



Rotatable dimmer switch for infinite adjustment/power indication

Base: 90° adjustable



LED work spotlight



1979 FC-40

Optionally with 40 or 60 Watts!

| HAZET No. | Uniform room lighting | Cable length | Luminous flux Lumen | Watt | l / mm | EAN-No. 4000896 + |
|------------|-------------------------------------|-------------------------------------|---------------------|------|--------|-------------------|
| 1979 FC-40 | Energy-efficient COB LED technology | 5 m (H07RN) 3 x 1.5 mm ² | 400 - 4000 | 40 | 280 | 227839 |
| 1979 FC-60 | Energy-efficient SMD LED technology | | 600 - 6000 | 60 | 360 | 227822 |



Tel: 090 998 9907

Email: info@vimet.com.vn - Web: www.thietbioto.vn

Lights



Das Werkzeug

Available from October 2019

YouTube clip



NEW!

**Max.
6000 Lumen!**



Accessories

1979 F-01

EAN-No. 4000896227815

NEW!

Light diffuser

- Attachment for better and homogeneous room illumination and for 360° light diffusion
- Attachment can be locked using a bayonet fitting




1979 F-02

EAN-No. 4000896227808

NEW!

Magnetic holder

- Additional coating of the magnets protects surfaces against damage
- Can be locked using the enclosed fastening screw
- Magnetic retention force max.: 10 kg



1979 F-03

EAN-No. 4000896227174

NEW!

Telescopic tripod

- Tripod permits a secure stand on different surfaces
- Foot locking and height locking option
- Incl. additional cable guides on tripod
- Height max.: 185 cm
- Height min.: 120 cm
- Load-carrying capacity: 30 kg



1979 FC-60

Ideal work / construction spotlight for renovations, painting work or car repairs, for example

- Rotatable dimmer switch for infinite adjustment
- Robust PU housing with surrounding aluminium components for better heat dissipation
- Visual power indication: 4-stage
- Base: 90° adjustable
- Increased functionality by an additional 230V socket (1979 FC-40: 1x socket / 1979 FC-60 2x sockets) on back enables coupling and operation of additional arbitrary devices



Tel: 090 998 9907

Email: info@vimet.com.vn - Web: www.thietbioto.vn




www.hazet.de

We accept no liability for printing errors!



NEW!



Innovative wireless charging!



YouTube clip



Charging by placing it on top – wireless charging!

Available from November 2019

1979 W-82

EAN-No. 4000896227228

LED Pocket Light, wireless charging

- 180° adjustable plus 8 stage lockable foot



Efficient and convenient charging function due to optimised self-positioning of the light on the pad



Top light/hook

1979 W/3

EAN-No. 4000896227969


LED light set

Contents:

- 1979 W-82, LED Pocket Light, wireless charging
- 1979 W-91, LED Slim Light, wireless charging
- 1979 WP-2, charging pad wireless, for two lights



4-stage battery status and state-of-charge display



Progressively dimmable from 30 to 300 Lumen

| Charging time (h) | Operating time (h) | Protection rating IP | Luminous flux Lumen | Impact resistance | | l mm |
|-------------------|--------------------|----------------------|---------------------|-------------------|---|------|
| 1.5 | 2 – 10 | IP65 | 30 – 300 | (EN62262): IK09 | 3.7 V, 1200 mAh, rechargeable Li-Ion battery pack | 133 |



Lights



Das Werkzeug

Available from November 2019

NEW!

1979 W-91

EAN-No. 4000896227938

LED Slim Light, wireless charging


- For extremely tight application fields



Strong rubberised holding magnet at the bottom. 360° rotation retaining hook



Top light/ aluminium head piece



Main light progressively dimmable from 100 to 1000 Lumen



4-stage battery and charging status display and dimmer switch on the back


| Operating time (h) | Charging time (h) | Protection rating IP | Luminous flux Lumen | Impact resistance | | l mm |
|--------------------|-------------------|----------------------|---------------------|-------------------|---|------|
| 1.5 – 8 | 3.5 | IP65 | 100 – 1000 | (EN62262): IK07 | 3.7 V, 2600 mAh, rechargeable Li-Ion battery pack | 365 |

Wireless charging pad

- Optimised self-positioning of one/two light(s) on the pad



Incl. 4 screw holes



Holding magnets on the back of the pad for fastening to magnetic substrates



Optionally possible to charge the battery either via pad or USB port

| HAZET No. | Designation | Self-positioning on the pad | EAN-No. 4000896 + |
|-----------|--|-----------------------------|-------------------|
| 1979 WP-1 | For wireless charging of the LED lights HAZET 1979W-91 and 1979W-82. | For 1 light | 227952 |
| 1979 WP-2 | Delivery incl. 100 cm USB-C cable, without USB adapter | For 2 lights | 227945 |





LED lights with charging cable

- Delivery incl. 100 cm USB-C charging cable, without USB adapter
- Possible to charge the battery via a standard USB adapter 5 V max. 1 A
- Power supply via USB C port

Technical Data same as 1979 W-82 / 1979 W-91 (see page 18 and 19)

Available from November 2019

NEW!

1979 N-82 LED Pocket Light



1979-91 LED slim light



| HAZET No. | l mm | Operating time (h) | Protection rating IP | Luminous flux Lumen | Impact resistance | | EAN-No. 4000896 + |
|-----------|------|--------------------|----------------------|---------------------|-------------------|---|-------------------|
| 1979 N-82 | 133 | 1.5 | IP65 | 30 – 300 | (EN62262): IK09 | 3.7 V, 1200 mAh, rechargeable Li-Ion battery pack | 227211 |
| 1979-91 | 365 | 3.5 | IP65 | 100 – 1000 | (EN62262): IK07 | 3.7 V, 2600 mAh, rechargeable Li-Ion battery pack | 222452 |

1987 N-3

EAN-No. 4000896222650

NEW!

Genuine leather working gloves

- Pleasant, lightweight feel and excellent dexterity due to high-quality kid leather
- Perfect for professional users in the workshop, industry, hobby or garden who attach great importance to excellent dexterity and a pleasant feel
- High-quality mix of materials from supple genuine leather and modern microfibre textiles for professional users
- Exact-fit due to Velcro® cuffs (hook and loop fastener)
- Lightweight and breathable
- Tested against increased mechanical risks according to standard EN 388:2016 including additional cut protection test according to standard EN ISO 13997 with power levels 2111A
- Size: L

Packaging units:
1 / 12 / 144 pieces



Price per pair

1987-6

EAN-No. 4000896222643

NEW!

Mechanic's gloves

- Enormous protection thanks to state-of-the-art materials made of special TPR protectors and fine knitted fabric
- Ideal for heavy-duty work, as well as all repairs when it comes to passenger cars, commercial vehicles, bicycles, industry, logistics/transport, factories, shipyards, etc.
- The palm has a high-quality nitrile rubber coating to ensure maximum abrasion resistance
- Easy grip
- Very good freedom of movement and fit
- Long wear life due to high-quality material components
- Easy to clean
- Tested against increased mechanical risks according to standard EN 388:2016 incl. additional cut protection test according to standard EN ISO 13997 with power levels 4131A
- Size: L



Price per pair



Tel: 090 998 9907

Email: info@vimet.com.vn - Web: www.thietbioto.vn

Specialty tools



Das Werkzeug

NEW!

198-19

EAN-No. 4000896226993

Oil filling adapter

- Ensures a slow and controlled filling with engine oil necessary for this engine
- Time saving: other work can be carried out during oil filling
- **Oil filling adapter in combination with engine oil filling funnel engine 198-9 for new 1.5 TSI VW Group engine AUDI/SEAT/SKODA/VW**
- **AUDI** A1 since 11/2018 →, A3 since 05/2017 →, Q2 since 11/2018 →, Q3 since 09/2018 →, **SEAT** Arona since 11/2017 →, Ibiza since 08/2017 →, Leon 3 since 09/2018 →, Tarraco since 10/2018 →, Ateca since 10/2018 →, **SKODA** Karoq since 07/2017 →, Octavia 3 since 08/2017 →, Suberb 3 since 10/2018 →, **VW** Arteon since 11/2018 →, Golf 7 since 03/2017 →, Golf Sportsvan since 10/2017 →, Polo 6 since 09/2017 →, T-Roc since 11/2017 →, Passat B8 since 10/2018 →, Touran 2 since 10/2018 →
- Easy to mount on the engine
- Flexible use due to plug system
- With optional angle connection piece 198-12, also suitable for hard to reach oil filling openings
- Additional replaceable aluminium adapters for many common vehicle models in the HAZET product range



Germany Made in Germany

2168-2


EAN-No. 4000896226870

Fuel filter releasing tool

- Can be used easily even in areas with restricted access
- For operating the fuel filter housing when changing the fuel filter cartridge on **FORD** Duratorq 2.2 TDCI engines, Transit Custom since 04/2012 →, Tourneo Custom since 04/2012 →, Transit since 08/2013 →
- Drive: Square 12.5 mm (1/2 inch)
- Output: groove profile
- Length: 130 mm
- Outside Ø: 160 mm

12.5 1/2

NEW!



Germany Made in Germany



Tel: 090 998 9907

Email: info@vimet.com.vn - Web: www.thietbioto.vn

PORSCHE MOTORSPORT

OFFICIAL SUPPLIER HAZET

www.hazet.de

We accept no liability for printing errors!



828 Lg-6



EAN-No. 4000896226672

Headlight adjustment tool hexagon screwdriver, extra long

- Time saving: putting together different tools is not necessary. Screwdriver length ensures problem-free operation of the setting screws
- Extra long hexagon screwdriver for adjusting the headlights on **RENAULT, AUDI**
- 6-point blade
- Ergonomically shaped HAZET 2-component T-handle
- Surface chrome-plated, tip burnished

NEW!

| l_1 mm | l_2 mm |
|-------------|-------------|
| 300 | 334 |



6 mm



904 SLg-21

EAN-No. 4000896227006


Impact socket (6-point), extra long

- With plastic insert, inside, to protect the surfaces of the wheel bolts
- Safe distance from wing when screwing with HAZET torque wrench, no extension necessary
- With outside plastic sleeve (rotatable), outside, to protect the rim
- Particularly suitable for wheel mounting and assembly of aluminium rims to **HYUNDAI, KIA, TOYOTA, MAZDA**

12⁵/₁₆

NEW!

s 21 mm



Made in Germany

JUMBOX


810 SPC/21

EAN-No. 4000896189847

Screwdriver set in JumboX

Contents:

- 4 x \ominus 0.5 x 3.0 · 0.8 x 4.0 · 1.0 x 5.5 · 1.2 x 6.5 mm
- 2 x \oplus PH 1 · PH 2
- 3 x \ominus 0.8 x 4.5 · 1.0 x 5.5 · 1.2 x 7.0 mm (with impact cap and hex bolster)
- 2 x \oplus PH 1 · PH 2 (with impact cap and hex bolster)
- 10 x \odot T 6 · T 7 · T 8 · T 9 · T 10 · T 15 · T 20 · T 25 · T 27 · T 30
- Non-slip HAZET 3-component handle – allows high power transmission
- Surface: blade matt chrome-plated, tip burnished



21

9012EL-SPC/4

EAN-No. 4000896191253

Impact wrench set in JumboX 2.0

Contents:

- Impact wrench 9012 EL-SPC
 - Max. loosening torque: 1700 Nm
 - With twin hammer mechanism
 - New one-hand reversing switch (right/left)
- Mini oiler, 9070-1
- Mini grease gun, 2162 M
- High performance lubricant, 9300N-60. Contents: 60 g



4


1845/12

EAN-No. 4000896199464


Circlip pliers set in JumboX 3.0

Contents:

- Form A
 - Straight design for outside lockrings
- Form B
 - Bent 90° for outside lockrings
- Form C
 - Straight design for inside lockrings
- Form D
 - Bent 90° for inside lockrings
- Pliers according to DIN 5254 (Form A) DIN 5256 (Form C)



Made in Germany



12

2169/5

EAN-No. 4000896211203

Oil filter wrench in MiniBoX

s 74,4 mm, 14 -point



s 27 mm \odot 10 $\frac{3}{8}$ "

s 76 mm, 6 -point



s 24 mm \odot 12 $\frac{1}{2}$ "

s 36 mm, 6-point



\odot 10 $\frac{3}{8}$ "

s 86 mm, 16-point



s 24 mm \odot 12 $\frac{1}{2}$ "

s 92 mm, 15-point



s 27 mm \odot 12 $\frac{1}{2}$ "

Made in Germany



5

958/7

EAN-No. 4000896204595

Adapter set in plastic box

Contents:

- With locking ball
- Delivery in HAZET plastic box



7



Tel: 090 998 9907

Email: info@vimet.com.vn - Web: www.thietbioto.vn

NEW!

Tool trolley with 204 expert tools!



Das Werkzeug



178 N-7
Made in Germany



Assistant®

178 N-7/204


EAN-No. 4000896228072

204

163-329/100 $\frac{3}{8}$ $\frac{1}{4}$ 10 $\frac{3}{8}$ 12 $\frac{1}{2}$



163-30/25 --- s 6 - 24 mm, --- s 6x7 - 21 x 22 mm




| | |
|-----|--|
| 3/3 | |
|-----|--|



163-330/16 --- 810-0,5x3,0 - 1,2x6,5 mm, --- 810 PH 1, PH 2
 --- 810 T10-T30, --- 320 mm, 500 g



163-407/35 --- s 4-22 mm, --- M5-M18,
 --- M6-M14, --- T20-T60, --- $\frac{1}{2}$



163-122/3 --- s 8, 10, 13 mm



2128N-1

Your HAZET specialist dealer



4 000896 228638



Tel: 090 998 9907

Email: info@vimet.com.vn - Web: www.thietbioto.vn